




PIN BRAZING ACCESSORIES

“ADDING FLEXIBILITY”

Easybond Reach System (EBRS)



A technique of making sound retrofit electrical connections to buried pipelines, without the need for major excavation. The Easybond Reach System (EBRS) comprises a special pin brazing gun with a purpose designed brazing tool that attaches to a fully adjustable (1.6m to 2.5m) hollow extension tube constructed of aluminium.

Battery Pack Chargers

'Vepac' Car Charger



'Elite' Standard Charger



BAC Microprocessor controlled battery chargers are designed to provide fast, automatic charging and ensure peak performance from your batteries.

- Short circuit shutdown without blown fuses
- Reverse polarity protection
- 3-Stage charge CI-CV-Float
- Fast constant current bulk charge
- Constant voltage proportion timing for minimal gas emission
- Constant voltage float/standby
- Independent overrun (fault) timer - digital electronics for stability & reliability

42V Grinder

- Narrow neck for easy use
- Safe machine control
- Spindle with multiple bearings for quiet operation
- Input: 42V
- Speed, no load: 28,000 rpm
- Cable with plug: 4 metres
- Net weight: 1.5 kg
- Tool holder: Collet Ø 6mm
- Supplied with 1 collet Ø 6mm, 1 set of wrenches and a carbide burr



Attaché Case

- Securely holds Pin Brazing gun, 42V grinder, earthing device, maintenance tools and CD-Rom containing training videos and manuals
- Made from robust black plastic.
- Light weight.
- Foam inserts for safe transportation of Pin Brazing equipment.



Gun Types

- Standard



- Long Reach



- Generator compatible





BAC Corrosion Control Ltd has been assessed and certified as meeting the requirements of ISO 9001:2008, and only supply and endorse BAC Corrosion Control Ltd Pin Brazing products and consumables that are approved to that standard. If the use of non BAC Pin Brazing products and consumables is evident then warranties can be affected or even cancelled.

BAC CORROSION CONTROL LTD
Stafford Park 11, Telford, Shropshire, TF3 3AY UK
Tel +44 (0) 1952 290321
Fax +44 (0) 1952 290325
Email: sales@bacgroup.com
Website: www.bacgroup.com

